



# Reliable CATERING EQUIPMENT AUSTRALIA

"The best commercial equipment for your kitchen"



RMBF8004/RMBF8001  
RMBF8005/RMBF8002

## TOP MOUNTED REFRIGERATORS & FREEZERS



**Top Mounted Single Door  
Refrigerator / Freezer**

RMBF8004  
RMBF8001



**Top Mounted Double Door  
Refrigerator / Freezer**


RMBF8005  
RMBF8002

### FEATURES


- *Top mount compressor units*
- *Exterior & interior stainless steel construction*
- *Dixell digital temperature system Heavy duty Embraco compressor*
- *Self-closing and stay open door Efficient refrigeration system Round corner design*
- *Recssed door handle Standard safety door lock Magnetic door gaskets*
- *Pre-installed castors*
- *Pre-installed mid-shelves*
- *Allow 100 mm clearance for air ventilation, all vent must left clear*
- *Remove compressor bracket prior use*







## TOP MOUNTED REFRIGERATORS & FREEZERS



RMBF8004  
RMBF8001



RMBF8005  
RMBF8002



INFORMATION	RMBF8004	RMBF8001	RMBF8005	RMBF8002
Capacity	670L	670L	1300L	1300L
Power	330W	550W	408W	830W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W730 x D845 x H2105,107kg	W730 x D845 x H2105,120kg	W1314 x D845 x H2105,175kg	W1314 x D845 x H2105,185kg
Packaging Dimensions(mm)	W774 x D879 x H2147,122kg	W774 x D879 x H2147,135kg	W1368 x D889 x H2147,200kg	W1368 x D889 x H2147,210kg
RRP	<b>\$2,620.00</b>	<b>\$2,940.00</b>	<b>\$3,628.00</b>	<b>\$3,990.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
\*EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RMBF8006  
RMBF8003

## TOP MOUNTED REFRIGERATORS & FREEZERS

### FEATURES

- *Top mount compressor units*
- *Exterior & interior stainless steel construction*  
*Dixell digital temperature system Heavy duty*  
*Embraco compressor*
- *Self-closing and stay open door Efficient*  
*refrigeration system Round corner design*
- *Recessed door handle Standard safety door*  
*lock Magnetic door gaskets*  
*Pre-installed castors*
- *Pre-installed mid-shelves*
- *Allow 100 mm clearance for air ventilation,*  
*all vent must left clear*
- *Remove compressor bracket prior use*


### Top Mounted Three Door Refrigerator/Freezer

RMBF8006

RMBF8003





RMBF8006  
RMBF8003


INFORMATION	RMBF8006	RMBF8003
Capacity	1968L	1968L
Power	570W	1200W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1976 x D845 x H2105,200kg	W1976 x D845 x H2105,200kg
Packaging Dimensions(mm)	W2030 x D889 x H2147,236kg	W2030 x D889 x H2147,236kg
RRP	<b>\$5,080.00</b>	<b>\$5,895.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

RYBF9206/RYBF9207  
RYBF9218/RYBF9219

## STAINLESS STEEL REFRIGERATORS AND FREEZERS



**New!**

### Single Door Top Mounted Models

RYBF9206  
RYBF9207



**New!**

### Double Door Top Mounted Models

RYBF9218  
RYBF9219

## FEATURES



- Single door 410 LT Capacity refrigerators & freezers
- Double door 900 LT Capacity refrigerators & freezers
- Single door only 600mm wide / double door only 1200mm wide
- Top mounted units
- Stainless steel exterior and interior
- Heavy duty embracco compressor
- 40 degree working ambient temperature
- Dixell Italian digital temperature controls
- Self-closing doors
- White PVC heavy duty shelving
- Heavy duty castors for easy mobility
- Recessed door handle
- Safety door lock
- Magnetic door gaskets
- Designed to work in the busiest kitchens
- Tailor made to handle the Australian climate
- Needs to be 100mm off the wall for breathing space





## STAINLESS STEEL REFRIGERATORS AND FREEZERS




Side View



RYBF9206  
RYBF9207



RYBF9218 / RYBF9219



INFORMATION	RYBF9206	RYBF9207	RYBF9218	RYBF9219
Capacity	410L	410L	900L	900L
Power	330W	454W	408W	741W
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Working Temp	-2°C~+8°C	-22°C~-17°C	-2°C~+8°C	-22°C~-17°C
Ambient Temp	40°C	40°C	40°C	40°C
Dimensions(mm)	W600 x D745 x H1950,90kg	W600 x D745 x H1950,90kg	W1200 x D745 x H1950,135kg	W1200 x D745 x H1950,135kg
Packaging Dimensions(mm)	W640 x D774 x H2050,100kg	W640 x D774 x H2050,100kg	W1240 x D774 x H2050,145kg	W1240 x D774 x H2050,145kg
RRP	<b>\$2,100.00</b>	<b>\$2,450.00</b>	<b>\$3,128.00</b>	<b>\$3,490.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\*EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RYBF9239

## DUAL-TEMPERATURE ALL-IN-ONE REFRIGERATOR AND FREEZER

### FEATURES

- *Dual-temperature all-in-one fridge and freezer*
- *2 door unit only 1200mm wide*
- *855 LT Capacity*
- *Top mounted unit*
- *Stainless steel exterior and interior*
- *2 x Heavy duty embracco compressors R404GAS & R134 GAS*
- *40 degree working ambient temperature*
- *2 dixell Italian digital temperature controls for fridge & for freezer*
- *Self-closing doors*
- *White PVC heavy duty shelving*
- *Heavy duty castors for easy mobility*
- *Recessed door handles standard*
- *Safety door lock*
- *Magnetic door gaskets*
- *Designed to work in the busiest kitchens*
- *Tailor-made to handle the Australian climate*
- *Interior Light*

### Top Mounted Double Door Refrigerator / Freezer

**New!**




RYBF9239



RYBF9239

## DUAL-TEMPERATURE ALL-IN-ONE REFRIGERATOR AND FREEZER

**New!**



INFORMATION	RYBF9239
Capacity	855L
Power	700W
Voltage	240V/50Hz
Working Temp	-2°C~+8°C / -22°C~-17°C
Ambient Temp	40°C
Dimensions(mm)	W1200 x D745 x H1950,155kg
Packaging Dimensions(mm)	W1240 x D774 x H2030,165kg
<b>RRP</b>	<b>\$4,590.00</b>



+



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\*EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RYCF9401/RYCF9407  
RYCF9402/RYCF9408

## TOP MOUNTED REFRIGERATORS & FREEZERS



**New!**

**Top Mounted Single Door  
Refrigerator/Freezer Showcase**

RYCF9401  
RYCF9407



**New!**

**Top Mounted Double Door  
Refrigerator/Freezer Showcase**

RYCF9402  
RYCF9408

### FEATURES




- Glass door refrigerated cabinet
- Compressor: Embraco
- Digital controller : Dixell
- 40°C refrigerators ambient temperature
- 40°C freezers ambient temperature
- Cooling Type: Fan Force
- Auto Defrost Function
- Come with 4 wired shelves
- Allow 100 mm clearance for air ventilation, all vent must left clear
- Anti fogging Heat line on Freezer






## TOP MOUNTED REFRIGERATORS & FREEZERS



RYCF9401  
RYCF9407



RYCF9402  
RYCF9408



INFORMATION	RYCF9401	RYCF9407	RYCF9402	RYCF9408
Capacity	410L	410L	900L	900L
Power	330W	454W	408W	741W
Voltage	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Working Temp	+2~+8°C	-20°C~-17°C	+2°C~+8°C	-20°C~-17°C
Ambient Temp	40°C	40°C	40°C	40°C
Dimensions(mm)	W600 x D787 x H1950,95kg	W600 x D770 x H1950,95kg	W1200 x D770 x H1950,145kg	W1200x D770 x H1950,145kg
Packaging Dimensions(mm)	W640 x D780 x H2050,105kg	W640 x D780 x H2050,105kg	W1240 x D780 x H2050,155kg	W1240 x D780 x H2050,155kg
RRP	<b>\$2,150.00</b>	<b>\$3,375.00</b>	<b>\$2,795.00</b>	<b>\$4,495.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



RMCF8604/RMCF8601  
RMCF8605/RMCF8602

## TOP MOUNTED REFRIGERATORS & FREEZERS



**Top Mounted Single Door  
Refrigerator/Freezer Showcase**

RMCF8604  
RMCF8601



**Top Mounted Double Door  
Refrigerator/Freezer Showcase**

RMCF8605  
RMCF8602


### FEATURES

- Glass door refrigerated cabinet
- Compressor: Embraco
- Digital controller: Dixell
- Gastronorm type, available to put GN2/1 pan
- 43°C ambient temperature
- Cooling Type: Fan Force
- Auto Defrost Function
- Come with 4 wired shelves
- Allow 100 mm clearance for air ventilation, all vent must left clear
- Anti fogging Heat line on Freezer




## TOP MOUNTED REFRIGERATORS & FREEZERS

RMCF8604  
RMCF8601



RMCF8605  
RMCF8602



INFORMATION	RMCF8604	RMCF8601	RMCF8605	RMCF8602
Capacity	670L	670L	1300L	1300L
Power	338W	520W	390W	950W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+2~+8°C	-20°C~-17°C	+2°C~+8°C	-20°C~-17°C
Ambient Temp	43°C	43°C	43°C	43°C
Dimensions(mm)	W730 x D845 x H2105,115kg	W730 x D845 x H2105,120kg	W1314 x D845 x H2105,190kg	W1314 x D845 x H2105,200kg
Packaging Dimensions(mm)	W764 x D879 x H2147,130kg	W764 x D879 x H2147,130kg	W1368 x D889 x H2147,241kg	W1368 x D889 x H2147,236kg
RRP	<b>\$2,890.00</b>	<b>\$3,990.00</b>	<b>\$3,990.00</b>	<b>\$5,350.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

## COOLING/FREEZER TABLES

### Two Door Cooling Table

REPF3422



### Two Door Freezer Table

REPF3462

### FEATURES

- Stainless steel interior and exterior with galvanised back panel
- Gas: R404A for Freezers
- Insulation Foam: C5H10,ODP, Zero emissions
- 43°C ambient working temperature
- Castors as standard
- Come with wired mid shelf
- Auto Defrost function
- Fan force cooling system
- All European parts, Aspera compressor, EBM fan motor
- Carel or Dixell digital controller
- Allow 100 mm clearance for air ventilation, all vent must left clear

### Three Door Cooling Table

REPF3432

### Three Door Freezer Table

REPF3472



### Four Door Cooling Table

REPF3442

### Four Door Freezer Table

REPF3482



+




2 YEARS WARRANTY ON ALL PARTS & LABOUR


\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

## COOLING/FREEZER TABLES


REPF3422/REPF3462




REPF3432/REPF3472



side view



REPF3442/REPF3482



INFORMATION	REPF3422 REPF3462	REPF3432 REPF3472	REPF3442 REPF3482
Capacity	280L	450L	560L
Power	250W/340W	330W/400W	330W/550W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	-2°C ~ +8°C -22°C ~ -18°C	-2°C ~ +8°C -22°C ~ -18°C	-2°C ~ +8°C -22°C ~ -18°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1360 x D700 x H838,95kg	W1795 x D700x H838,120kg	W2230 x D700 x H838,145kg
Packaging Dimensions(mm)	W1414 x D765 x H872,119kg W1414 x D765 x H872,119kg	W1849 x D765 x H872,145kg W1849 x D765 x H872,145kg	W2230 x D700 x H838,145kg W2284 x D765 x H872,176kg
RRP	<b>\$2,177.00</b> <b>\$2,580.00</b>	<b>\$2,445.00</b> <b>\$2,880.00</b>	<b>\$2,998.00</b> <b>\$4,100.00</b>

### FEATURES

- Stainless steel interior and exterior with galvanised back panel
- 43°C ambient working temperature
- Auto Defrost Function
- Fan Force cooling
- All European parts, Aspera compressor, EBM fan motor
- Carel or Dixell digital controller
- Gas: R134A for Fridges
- Insulation Foam: C5H10,ODP, Zero emissions
- Castors as standard
- Pre-installed mid-shelves
- Double Glazed Glass Hinged Doors
- Allow 100 mm clearance for air ventilation, all vent must left clear

### Glass Two Door Cooling Table

REPF3721



### Glass Three Door Cooling Table

REPF3731




### Glass Four Door Cooling Table


REPF3741




## COOLING/FREEZER TABLES



side view



REPF3741



INFORMATION	REPF3721	REPF3731	REPF3741
Capacity	300L	450L	560L
Power	330W	330W	350W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1360 x D600 x H838,100kg	W1795 x D600 x H838,125kg	W2230 x D600 x H838,162kg
Packaging Dimensions(mm)	W1414 x D765 x H872,133kg	W1849 x D765 x H872,165kg	W2284 x D765x H872,204kg
<b>RRP</b>	<b>\$2,420.00</b>	<b>\$2,790.00</b>	<b>\$3,490.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



RYPF9020/RYPF9025  
RYPF9030/RYPF9035  
RYPF9040/RYPF9045

## REFRIGERATOR/FREEZER UNDERCOUNTERS



**1.2m Refrigerator Undercounter**

RYPF9020

**1.2m Freezer Undercounter**

RYPF9025

**1.5m Refrigerator Undercounter**

RYPF9030



**1.5m Freezer Undercounter**

RYPF9035

### FEATURES

- Stainless steel interior and exterior with galvanised back panel
- Gas: R134A for Fridges
- Insulation Foam: C5H10, ODP, Zero emissions
- 43°C ambient working temperature
- Come with wired mid shelf
- Castors as standard
- All European parts, Aspera compressor, EBM fan motor
- Fan Force Cooling
- Auto Defrost Function
- Carel or Dixell digital controller
- Allow 100 mm clearance for air ventilation, all vent must left clear



**1.8m Refrigerator Undercounter**

RYPF9040

**1.8m Freezer Undercounter**

RYPF9045




2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE



## REFRIGERATOR/FREEZER UNDERCOUNTERS



INFORMATION	RYPF9020 RYPF9025	RYPF9030 RYPF9035	RYPF9040 RYPF9045
Capacity	220L	300L	390L
Power	300W/400W	350W/450W	400W/550W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C -22°C~-17°C	-2°C~+8°C -22°C~-17°C	-2°C~+8°C -22°C~-17°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1200 x D600 x H838,71kg	W1500 x D600 x H838,74kg	W1800 x D600 x H838,81kg
Packaging Dimensions(mm)	W1254 x D654 x H867,86kg	W1554 x D654 x H867,100kg	W1854 x D654 x H867,111kg
<b>RRP</b>	<b>\$2,177.00</b> <b>\$2,580.00</b>	<b>\$2,350.00</b> <b>\$2,780.00</b>	<b>\$2,445.00</b> <b>\$2,880.00</b>

RMSF8301  
RMSF8302  
RMSF8304

## SANDWICH PREP TABLE REFRIGERATORS



### Single Door Sandwich Prep Table Refrigerator

RMSF8301

Stainless steel GN pans included



### Double Door Sandwich Prep Table Refrigerator

RMSF8302

Stainless steel GN pans included

## FEATURES

- Stainless steel interior and exterior with galvanised back panel
- Stainless steel food pans included
- Heavy duty Embraco compressor
- Self-closing and stay open doors
- Efficient refrigeration system
- Round corner design
- Recessed door handle
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed mid-shelves
- Allow 100 mm clearance for air ventilation, all vent must left clear

### Three Door Sandwich Prep Table Refrigerator


RMSF8304




Stainless steel GN pans included

## SANDWICH PREP TABLE REFRIGERATORS


RMSF8301



RMSF8302



RMSF8304



INFORMATION	RMSF8301	RMSF8302	RMSF8304
Capacity	203L	379L	598L
Power	270W	370W	430W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+1°C~+8°C	+1°C~+8°C	+1°C~+8°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W698 x D762 x H1124,90kg	W1225 x D762 x H1124,110kg	W1846 x D762 x H1124,170kg
Packaging Dimensions(mm)	W770 x D855 x H1170,107kg	W1300 x D855 x H1170,130kg	W1916 x D855 x H1170,198kg
RRP	<b>\$2,069.00</b>	<b>\$2,619.00</b>	<b>\$3,891.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RMPF8201  
RMPF8202  
RMPF8203

## PIZZA PREP TABLE REFRIGERATORS



### Single Door Pizza Prep Table Refrigerator

RMPF8201

Stainless steel GN pans included



### Double Door Pizza Prep Table Refrigerator

RMPF8202

Stainless steel GN pans included

### Three Door Pizza Prep Table Refrigerator

RMPF8203

#### FEATURES


- Stainless steel interior and exterior with galvanised back panel
- Heavy duty Embraco compressor
- Dixell Digital Temperature Control System
- Self-closing and stay open doors
- Efficient refrigeration system
- Round corner design
- Recessed door handle
- Standard safety door lock
- Magnetic door gaskets
- Pre-installed castors
- Pre-installed mid-shelves
- Auto defrost function
- Fan Force cooling
- Allow 100 mm clearance for air ventilation, all vent must left clear



Stainless steel GN pans included

RMPF8201  
RMPF8202  
RMPF8203

## PIZZA PREP TABLE REFRIGERATORS



INFORMATION	RMPF8201	RMPF8202	RMPF8203
Capacity	396L	566L	880L
Power	300W	410W	600W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+1°C~+8°C	+1°C~+8°C	+1°C~+8°C
Ambient Temp	43°C	43°C	43°C
Dimensions(mm)	W1117 x D840 x H1035,108kg	W1702 x D840 x H1035,152kg	W2362 x D840 x H1035,194kg
Packaging Dimensions(mm)	W1171 x D909 x H1167,134kg	W1755 x D909 x H1167,184kg	W2416 x D909 x H1167,239kg
<b>RRP</b>	<b>\$2,855.00</b>	<b>\$3,839.00</b>	<b>\$5,324.00</b>



+



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

**REPF3480  
REPF3485**

## PIZZA PREP TABLE REFRIGERATORS



Optional  
RESL3889 / RESL3890



### 2 Door Refrigerated Pizza Table with Drawers

**REPF3480**

Optional  
RESL3889 / RESL3890



### 3 Door Refrigerated Pizza Table

**REPF3485**



## FEATURES



- Stainless steel interior and exterior with galvanised back panel
- Gas: R134A for Fridges
- Insulation Foam: C5H10,ODP, Zero emissions
- 43°C ambient working temperature
- Come with wired mid shelf
- Castors as standard
- All European parts, Aspera compressor, EBM fan motor
- Carel or Dixell digital controller
- Can fit in ESL3889 / ESL3890(optional)
- Allow 100 mm clearance for air ventilation, all vent must left clear





# REPF3480 REPF3485

## PIZZA PREP TABLE REFRIGERATORS

REPF3480



REPF3485



INFORMATION	REPF3480	REPF3485
Capacity	485L	560L
Power	330W	330W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W2010 x D800 x H1000.5,360kg	W2010 x D800 x H1000.5,267kg
Packaging Dimensions(mm)	W2064 x D854 x H1051,384kg	W2064 x D854 x H1051,297kg
<b>RRP</b>	<b>\$3,799.00</b>	<b>\$3,380.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



REPF3490  
REPF3495

## PIZZA PREP TABLE REFRIGERATORS



Optional  
RESL3889 / RESL3890



### Single Door Refrigerated Pizza Table with Drawers

REPF3490



Optional  
RESL3889 / RESL3890



### Two Door Refrigerated Pizza Table

REPF3495


## FEATURES

- Stainless steel interior and exterior with galvanised back panel
- Gas: R134A for Fridges
- Insulation Foam: C5H10, ODP, Zero emissions
- 43°C ambient working temperature
- Come with wired mid shelf
- Castors as standard
- All European parts, Aspera compressor, EBM fan motor
- Carel or Dixell digital controller
- Fan Force Cooling
- Can fit in ESL3884 / ESL3883 (optional)
- Allow 100 mm clearance for air ventilation, all vent must left clear


# REPF3490 REPF3495

## PIZZA PREP TABLE REFRIGERATORS


side view



REPF3490



REPF3495



INFORMATION	REPF3490	REPF3495
Capacity	180L	300L
Power	330W	330W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1510 x D800 x H1000,246kg	W1510 x D800 x H1000,209kg
Packaging Dimensions(mm)	W1564 x D854 x H1051,315kg	W1564 x D854 x H1051,275kg
<b>RRP</b>	<b>\$2,899.00</b>	<b>\$2,740.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RESL3800  
RESL3801

## SALADETTES



### Two Doors Sliding Lid Saladette

RESL3800




### Two Doors Table Saladette

RESL3801

## FEATURES

- Performs well in hot environments
- High grade stainless steel interior & exterior
- Heavy duty marble prep area
- Heavy duty stainless steel top
- All fitted with European parts Compressor & EBM fan motor
- Aspera compressor
- 43-degree ambient working temperature
- Gas 134A refrigerant
- 2-8 degrees working temp
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Carel / Dixell Italian digital controls
- Self-evaporating drainage
- Manual defrosting system take note
- We recommend you defrost regularly for better maintenance of temperatures
- Compressor & condenser situated on the bottom, so motor can breathe
- Unit can be positioned against a wall
- Fits Australian GN pans
- Self-closing doors
- White Epoxy shelves & stainless-steel rails
- Comes installed with 4 castors for easy mobility
- GN / pans & Lids not included





INFORMATION	RESL3800	RESL3801
Capacity	300L	300L
Power	250W	250W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W900 x D700 x H888,72kg	W900 x D700 x H880,72kg
Packaging Dimensions(mm)	W954 x D754 x H1022,92kg	W954 x D754 x H1022,84kg
RRP	<b>\$1,399.00</b>	<b>\$1,399.00</b>



**2 YEARS WARRANTY ON ALL PARTS & LABOUR**  
**\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE**

RESL3831  
RESL3832

## SALADETTES



**Two Doors Pizzatable  
Marble Top Saladette**

RESL3831




**Two Doors Open Top Saladette**


RESL3832

### FEATURES

- Performs well in hot environments
- High grade stainless steel interior & exterior
- Heavy duty marble prep area
- Heavy duty stainless steel top
- All fitted with European parts Compressor & EBM fan motor
- Aspera compressor
- 43-degree ambient working temperature
- Gas 134A refrigerant
- 2-8 degrees working temp
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Carel / Dixell Italian digital controls
- Self-evaporating drainage
- Manual defrosting system take note
- We recommend you defrost regularly for better maintenance of temperatures
- Compressor & condenser situated on the bottom, so motor can breathe
- Unit can be positioned against a wall
- Fits Australian GN pans
- Self-closing doors
- White Epoxy shelves & stainless-steel rails
- Comes installed with 4 castors for easy mobility
- ESL 3831 fits 5x 1/3 GN Pans
- ESL 3832 fits 6 x 1/3 GN Pans
- GN / pans & Lids not included







INFORMATION	RESL3831	RESL3832
Capacity	300L	300L
Power	250W	250W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W900 x D700 x H1100,92kg	W900 x D700 x H1040,68kg
Packaging Dimensions(mm)	W954 x D754 x H1242,108kg	W954 x D754 x H1172,84kg
RRP	\$1,640.00	\$1,670.00



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RESL3850  
RESL3851

## SALADETTES



### Three Doors Sliding Lid Saladette

RESL3850



### Three Doors Table Saladette

RESL3851


## FEATURES

- Performs well in hot environments
- High grade stainless steel interior & exterior
- Sliding lid cover on the ESL 3850
- Heavy duty stainless steel top prep area
- All fitted with European parts Compressor & EBM fan motor
- Aspera compressor
- 43-degree ambient working temperature
- Gas 134A refrigerant
- Insulation foam CH10, ODP zero emissions
- STATIC COOLING SYSTEM
- Carel / Dixell Italian digital controls
- Self-evaporating drainage
- Manual defrosting system
- We recommend you defrost regularly for better maintenance of temperatures
- Compressor & condenser situated on the bottom, so motor can breathe
- Unit can be positioned against a wall
- Fits Australian GN pans
- 3 Self-closing doors
- White Epoxy shelves & stainless-steel rails
- Comes installed with 4 castors for easy mobility
- ESL 3850 can fit GN Pans
- G/N pans & Lids are not included






RESL3850



RESL3851



INFORMATION	RESL3850	RESL3851
Capacity	380L	380L
Power	300W	300W
Voltage	240V/50Hz	240V/50Hz
Working Temp	-2°C~+8°C	-2°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1365 x D700 x H888,90kg	W1365 x D700 x H880,90kg
Packaging Dimensions(mm)	W1419 x D754 x H1022,105kg	W1419 x D754 x H1022,105kg
RRP	<b>\$2,179.00</b>	<b>\$1,899.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

RESL3852  
RESL3853

## SALADETTES



### Three Doors Pizza Table Without Top VRX

RESL3852



### Three Doors Open Top Saladette

RESL3853

## FEATURES

- Performs well in hot environments
- High grade stainless steel interior & exterior
- Heavy duty marble prep area
- Heavy duty stainless steel top prep area
- All fitted with European parts Compressor & EBM fan motor
- Aspera compressor
- 43-degree ambient working temperature
- Gas 134A refrigerant
- Insulation foam CH10, ODP zero emissions
- **STATIC COOLING SYSTEM**
- Carel / Dixell Italian digital controls
- Self-evaporating drainage
- Manual defrosting system
- We recommend you defrost regularly for better maintenance of temperatures
- Compressor & condenser situated on the bottom, so motor can breathe
- Unit can be positioned against a wall
- Fits Australian GN pans
- 3 Self-closing doors
- White Epoxy shelves & stainless-steel rails
- Comes installed with 4 castors for easy mobility
- ESL 3853 can fit GN Pans
- G/N pans & Lids are not included





**\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE**

35



### Pizzatable Saladette


RESL3864



## FEATURES

- Performs well in hot environments
- High grade stainless steel interior & exterior
- Heavy duty marble prep area
- Comes with square glass sneeze guard canopy
- All fitted with European parts Compressor & EBM fan motor
- Aspera compressor
- 43-degree ambient working temperature
- Gas 134A refrigerant
- Insulation foam CH10, ODP zero emissions
- Static cooling system
- Carel / Dixell Italian digital controls
- Self-evaporating drainage
- Manual defrosting system
- We recommend you defrost regularly for better maintenance of temperatures
- Compressor & condenser situated on the bottom, so motor can breathe
- Unit can be positioned against a wall
- Fits Australian GN pans
- 3 Self-closing doors
- White Epoxy shelves & stainless-steel rails
- Comes installed with 4 castors for easy mobility
- RESL 3864 can fit 7 x 1/3 GN Pans
- G/N pans & Lids are not included





INFORMATION	RESL3864
Capacity	380L
Power	300W
Voltage	240V/50Hz
Working Temp	-2°C~+8°C
Ambient Temp	43°C
Dimensions(mm)	W1365 x D700 x H1120 ,170kg
Packaging Dimensions(mm)	W1419 x D754 x H1047,187kg
<b>RRP</b>	<b>\$2,300.00</b>



+



2 YEARS WARRANTY ON ALL PARTS &amp; LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RESL3880/3881/3882/3883/3884  
3885/3886/3887/3888/3889/3890

## ESL COUNTER TOP SALAD BAR



### ESL Counter Top Salad Bar

#### FEATURES

- Available in 6 sizes
- Ideal for Pizza, kebab, hot dog, fast food outlets, food trucks many sizes available
- Ideal for any food preparation
- Quality counter top refrigerated prep unit
- Constructed in high quality stainless steel exterior & interior
- Glass sneeze canopy guard structure or steel canopy structure
- All units take 1/3 GN pans OR 1/4 GN pans
- Italian dixell digital controller with temperature display
- Static cooling system





## ESL COUNTER TOP SALAD BAR

L=1, 200



L=1, 400



L=1, 500



L=1, 600




L=1, 800



L=2, 000



L=1, 200



L=1, 400



L=1, 500



L=1, 600



L=1, 800



L=2, 000



INFORMATION	Dimensions (mm)	Packaging Dimensions(mm)	Capacity	RRP
RESL3880	W1205 x D335 x H460, 38kg	W1265 x D415 x H419, 55kg	BAC GN1/4 x 5	\$899.00
RESL3881	W1205 x D395 x H460, 41kg	W1265 x D475 x H475, 59kg	BAC GN1/3 x 4	\$899.00
RESL3861	W1405 x D335 x H460, 41kg	W1465 x D415 x H419, 60kg	BAC GN1/4 x 6	\$959.00
RESL3882	W1415 x D395 x H460, 45kg	W1465 x D475 x H419, 70kg	BAC GN1/3 x 6	\$959.00
RESL3883	W1505 x D335 x H460, 43kg	W1565 x D415 x H419, 69kg	BAC GN1/4 x 7	\$999.00
RESL3884	W1505 x D395 x H460, 47kg	W1565 x D475 x H419, 74kg	BAC GN1/3 x 6	\$999.00
RESL3885	W1600 x D335 x H435, 45kg	W1665 x D415 x H419, 73kg	BAC GN1/4 x 7	\$1,099.00
RESL3886	W1600 x D395 x H435, 49kg	W1665 x D475 x H419, 78kg	BAC GN1/3 x 7	\$1,099.00
RESL3887	W1805 x D335 x H460, 49kg	W1865 x D415 x H419, 80kg	BAC GN1/4 x 8	\$1,199.00
RESL3888	W1805 x D395 x H460, 53kg	W1865 x D475 x H419, 85kg	BAC GN1/3 x 8	\$1,199.00
RESL3889	W2005 x D335 x H460, 53kg	W2065 x D415 x H419, 86kg	BAC GN1/4 x10	\$1,299.00
RESL3890	W2005 x D395 x H460, 58kg	W2065 x D475 x H419, 94kg	BAC GN1/3 x 9	\$1,299.00



+



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



RMGF8450  
RMGF8453

## CHEF BASES



### Chef Base - 2 Drawers

RMGF8450

Stainless steel GN pans included



### Chef Base - 4 Drawers

RMGF8453


Stainless steel GN pans included

## FEATURES


- Low base chef's table
- Constructed in Stainless steel
- 43-degree ambient working temp
- 2-8 degrees working temp
- Italian digital control
- Embraco compressor
- Automatic defrost
- Self-evaporating drainage
- Heavy duty stainless steel drawer slides and rollers
- Drawers come off easily for cleaning
- Magnetic drawer gasket is removable for easy cleaning and maintenance
- Recessed door handle
- Pre-installed heavy-duty castors with brakes.
- Designed with corrosion-resistant stainless steel of the highest quality
- Cabinet top is one-piece, heavy duty reinforced stainless steel to support countertop equipment
- Gravity fed self-closing drawers



**RMGF8450**



**RMGF8453**



INFORMATION	RMGF8450	RMGF8453
Capacity	260L	420L
Power	260W	390W
Voltage	240V/50Hz	240V/50Hz
Working Temp	+1°C~+8°C	+1°C~+8°C
Ambient Temp	43°C	43°C
Dimensions(mm)	W1230 x D815 x H676,100kg	W1840 x D815 x H676,136kg
Packaging Dimensions(mm)	W1284 x D884 x H711,117kg	W1894 x D884 x H711,165kg
<b>RRP</b>	<b>\$3,630.00</b>	<b>\$4,480.00</b>



**2 YEARS WARRANTY ON ALL PARTS & LABOUR**

**\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE**

RTY110L/RTY130L  
RTF120L/RTF160L

## CAKE SHOWCASES



### Countertop Round Cake Showcase

700mm: RTY110L  
900mm: RTY130L



### Countertop Square Cake Showcase

700mm: RTF120L  
900mm: RTF160L


## FEATURES

- Available in curved & square glass
- 2 width size options
- Works from 2-8 degrees temp range
- Easy to maintain & clean
- Removable back doors
- Stainless steel wire shelving racks
- LED lights
- Showcase your products with maximum exposure
- Superb for installing on top of counters
- 2 Years parts & labour warranty







## CAKE SHOWCASES

RTY110L/RTY130L



RTF120L/RTF160L



INFORMATION	RTY110L	RTY130L	RTF120L	RTF160L
Capacity	110L	130L	120L	160L
Power	226W	242W	226W	242W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+2~+8°C	+2~+8°C	+2~+8°C	+2~+8°C
Ambient Temp	32°C	32°C	32°C	32°C
Dimensions(mm)	W700 x D560 x H670,63kg	W900 x D560 x H670,70kg	W700 x D560 x H670,65kg	W900 x D560 x H670,75kg
Packaging Dimensions(mm)	W784 x D641 x H790,87kg	W984 x D641 x H790,94kg	W784 x D641 x H790,89kg	W984 x D641 x H790,99kg
RRP	<b>\$1,190.00</b>	<b>\$1,390.00</b>	<b>\$1,377.00</b>	<b>\$1,512.00</b>



MEPS



+



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RDF097F/RDF127F  
RDF157F/RDF177F

## CAKE SHOWCASES



### Upright Square Cake Showcase

900mm: RDF097F  
1200mm: RDF127F



### Upright Square Cake Showcase


1500mm: RDF157F  
1700mm: RDF177F

## FEATURES

- Stylish Square glass cake displays
- Available in 900/1200/1500/1700 width sizes
- Comes with 2 shelves
- Sliding removable back doors
- Keep your products nice & cool
- Works from 2-8 degrees
- Italian Digital controls
- SECOP compressor
- LED lights
- Heated glass to remove condensation
- Fitted with castors for easy mobility
- MEPS approved
- 2 years parts & labour warranty



## CAKE SHOWCASES



INFORMATION	RDF097F	RDF127F	RDF157F	RDF177F
Capacity	290L	395L	497L	570L
Power	510W	700W	800W	920W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C	+2°C~+8°C	+2°C~+8°C
Ambient Temp	32°C	32°C	32°C	32°C
Dimensions(mm)	W900 x D742 x H1200,201kg	W1200 x D742 x H1200,232kg	W1500 x D742 x H1200,262kg	W1700 x D742 x H1200,313kg
Packaging Dimensions(mm)	W960 x D800 x H1320,232kg	W1260 x D800 x H1320,273kg	W1560 x D800 x H1320,310kg	W1760 x D800 x H1320,383kg
<b>RRP</b>	<b>\$3,290.00</b>	<b>\$3,599.00</b>	<b>\$4,199.00</b>	<b>\$4,399.00</b>



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST





### Upright Round Cake Showcase

900mm: RDF097D  
1200mm: RDF127D




### Upright Round Cake Showcase

1500mm: RDF157D  
1700mm: RDF177D


## FEATURES

- Stylish square glass cake displays
- Available in 900/1200/1500/1700 width sizes
- Comes with 3 shelves for maximum exposure plus the floor
- 4 levels to display your products
- Keep your products nice & cool
- 2-8 degrees temp range
- Sliding removable back doors
- Italian digital temp controls
- SECOP compressor
- LED lights
- Heated glass to remove condensation
- Fitted with castors for easy mobility





CAKE SHOWCASES



INFORMATION	RDF097D	RDF127D	RDF157D	RDF177D
Capacity	290L	400L	520L	600L
Power	510W	700W	800W	900W
Voltage	240V/50Hz	240V/50Hz	240V/50Hz	240V/50Hz
Working Temp	+2°C~+8°C	+2°C~+8°C	+2°C~+8°C	+2°C~+8°C
Ambient Temp	32°C	32°C	32°C	32°C
Dimensions(mm)	W900 x D750 x H1350,204kg	W1200 x D750 x H1350,238kg	W1500x D750 x H1350,275kg	W1700 x D750 x H1350,318kg
Packaging Dimensions(mm)	W960 x D800 x H1500,235kg	W1260 x D800 x H1500,285kg	W1560 x D800 x H1500,315kg	W1760 x D800 x H1500,388kg
RRP	<b>\$3,699.00</b>	<b>\$4,399.00</b>	<b>\$4,999.00</b>	<b>\$5,549.00</b>



MEPS



+



2 YEARS WARRANTY ON ALL PARTS & LABOUR

\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

## OPEN BURNER COOK TOPS

### 2 Burner Cook Tops

RATHP-12-2



### 6 Burner Cook Tops

RATHP-36-6





### 4 Burner Cook Tops

RATHP-24-4

## FEATURES




- Heavy duty constructed frame
- Heavy duty burners & standby pilots
- Flame failure
- American Robert Shaw valves & controls
- Stainless steel burners
- Constructed in 304 stainless steel
- ¾ inch pipe gas inlet
- 4 stainless steel screws on adjustable legs designed to sit on a bench
- Removal drip tray
- Manual controls
- Easy manual ignition to all burners
- Independent burner controls
- Heavy duty black matt trivets
- Available in NG & LPG
- Corrosion resistant & easy to maintain & keep clean
- Stands to suit all griddles available in stainless steel
- 2 years parts & labour warranty Australia wide






RATHP-12-2  
RATHP-24-4  
RATHP-36-6

## OPEN BURNER COOK TOPS




RATHP-12-2



RATHP-24-4



RATHP-36-6



INFORMATION	RATHP-12-2	RATHP-24-4	RATHP-36-6
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	23	23	23
Total power Output Mj/h(For even frying)	46	92	138
Dimensions(mm)	W308 x D700 x H332, 24.5kg	W610 x D700 x H332, 42.5kg	W910 x D700 x H332, 61kg
Packaging Dimensions(mm)	W380 x D760 x H425, 33.5kg	W680 x D760 x H425, 56.5kg	W980 x D760 x H425, 81.5kg
<b>RRP</b>	<b>\$1,395.00</b>	<b>\$1,868.00</b>	<b>\$2,510.00</b>



AUSTRALIA AND NEW ZEALAND  
GAS SAFETY CERTIFICATION  
SAI-400248 AS 4563:2004 SAI Global



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS  
WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RATMG-24  
RATMG-36  
RATMG-48

## GRIDDLE

### 610mm Griddle

RATMG-24



### 1220mm Griddle

RATMG-48



### 910mm Griddle

RATMG-36

## FEATURES


- Heavy duty constructed frame
- Heavy duty burners & standby pilots
- Flame failure
- American Robert Shaw valves & controls
- Constructed in 304 stainless steel
- Stainless steel burners
- Heavy duty matt black cast iron grill
- Stainless steel splash back
- 3/4 inch pipe gas inlet
- 4 stainless steel screws on adjustable legs designed to sit on a bench
- Removal drip tray
- Manual controls
- Easy manual ignition to all burners
- Independent burner controls
- Heavy duty black matt trivets
- Available in NG & LPG
- Corrosion resistant & easy to maintain & keep clean
- Stands to suit all griddles available in stainless steel
- 2 years parts & labour warranty Australia wide




RATMG-24  
RATMG-36  
RATMG-48

## GRIDDLE


RATMG-24



RATMG-36



RATMG-48



INFORMATION	RATMG-24	RATMG-36	RATMG-48
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	30	30	30
Total power Output Mj/h(For even frying)	60	90	120
Dimensions(mm)	W610 x D725 x H385, 73kg	W910 x D725 x H385, 105kg	W1220 x D725 x H385, 134kg
Packaging Dimensions(mm)	W680 x D790 x H465, 88.5kg	W980 x D790 x H465, 127.5kg	W1310 x D830 x H450, 188.5kg
RRP	<b>\$1,430.00</b>	<b>\$2,572.00</b>	<b>\$3,280.00</b>



AUSTRALIA AND NEW ZEALAND  
GAS SAFETY CERTIFICATION  
SAI-400232 AS 4563:2004 SAI Global



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS  
WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RATCB-24  
RATCB-36  
RATCB-48

## CHAR GRILL (ROCK)

### 610mm Char-Rock Broiler

RATCB-24



### 910mm Char-Rock Broiler

RATCB-36





### 1220mm Char-Rock Broiler

RATCB-48

## FEATURES

- Heavy duty constructed frame
- Heavy duty burners & standby pilots
- Flame failure
- American Robert Shaw valves & controls
- Constructed in 304 stainless steel
- ¾ inch pipe gas inlet
- Stainless steel burners
- Stainless steel splash back
- Heavy duty black cast-iron grill to cook on
- Comes with rocks
- 4 stainless steel screws on adjustable legs designed to sit on a bench
- Removal drip tray
- Manual controls
- Easy manual ignition to all burners
- Independent burner controls
- Available in NG & LPG
- Corrosion resistant & easy to maintain & keep clean
- Stands to suit all Char-grills available in stainless steel
- 2 years parts & labour warranty Australia wide







RATCB-24  
RATCB-36  
RATCB-48

## CHAR GRILL (ROCK)


RATCB-24



RATCB-36



RATCB-48



INFORMATION	RATCB-24	RATCB-36	RATCB-48
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	33	33	33
Total power Output Mj/h(For even frying)	66	99	132
Dimensions(mm)	W610 x D700 x H385, 62.5kg	W910 x D700 x H385, 87kg	W1220 x D700 x H386, 113kg
Packaging Dimensions(mm)	W680 x D760 x H465, 76.5kg	W980 x D760 x H465, 108kg	W1290 x D760 x H465, 142.5kg
<b>RRP</b>	<b>\$1,890.00</b>	<b>\$2,188.00</b>	<b>\$2,922.00</b>



AUSTRALIA AND NEW ZEALAND  
GAS SAFETY CERTIFICATION  
SAI-400232 AS 4563:2004 SAI Global



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS  
WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



RATRC-24  
RATRC-36  
RATRC-48

## CHAR GRILL (RADIANT)

### 610mm Radiant Broiler

RATRC-24



### 910mm Radiant Broiler

RATRC-36




### 1220mm Radiant Broiler

RATRC-48

## FEATURES




- Heavy duty constructed frame
- Heavy duty burners & standby pilots
- Flame failure
- American Robert Shaw valves & controls
- Constructed in 304 stainless steel
- 3/4 inch pipe gas inlet
- 4 stainless steel screws on adjustable legs designed to sit on a bench
- Removal drip tray
- Manual controls
- Easy manual ignition to all burners
- Independent burner controls
- Available in NG & LPG
- Corrosion resistant & easy to maintain & keep clean
- Stands to suit all griddles available in stainless steel
- 2 years parts & labour warranty Australia wide






RATRC-24  
RATRC-36  
RATRC-48

## CHAR GRILL (RADIANT)




RATRC-24



RATRC-36



RATRC-48



INFORMATION	RATRC-24	RATRC-36	RATRC-48
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	33	33	33
Total power Output Mj/h(For even frying)	66	99	132
Dimensions(mm)	W610 x D700 x H385, 53kg	W910 x D700 x H385, 72kg	W1220 x D700 x H385, 91kg
Packaging Dimensions(mm)	W680 x D760 x H465, 66.5kg	W980 x D760 x H465, 93kg	W1290 x D760 x H465, 116.5kg
RRP	<b>\$1,890.00</b>	<b>\$2,188.00</b>	<b>\$2,922.00</b>



AUSTRALIA AND NEW ZEALAND  
GAS SAFETY CERTIFICATION  
SAI-400232 AS 4563:2004 SAI Global



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS  
WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST

RATSE-2824  
RATSE-2836  
RATSE-2848

## STAINLESS STEEL STANDS SUIT FOR AT SERIES

### 615mm Stainless Steel Stand

RATSE-2824



### 915mm Stainless Steel Stand

RATSE-2836




### 1225mm Stainless steel Stand

RATSE-2848



## FEATURES





- 1.2mm thick stainless steel
- Perfect stands for AHP/ATMG/ATCB/ATRC Series
- Full stainless steel stand







RATSE-2824  
RATSE-2836  
RATSE-2848

## STAINLESS STEEL STANDS SUIT FOR AT SERIES





RATSE-2824



RATSE-2836



RATSE-2848



INFORMATION	RATSE-2824	RATSE-2836	RATSE-2848
Dimensions(mm)	W615 x D711 x H610,18kg	W915 x D711 x H610,24kg	W1225 x D711 x H610,29kg
Packaging Dimensions(mm)	W640 x D740 x H180,20kg	W940 x D740 x H180,26kg	W1250 x D740 x H180,32.5kg
<b>RRP</b>	<b>\$300.00</b>	<b>\$350.00</b>	<b>\$410.00</b>

\* All prices are EX-GST

## DEEP FRYERS

### 3 Tubes Gas Deep Fryer

RATFS-40



### 5 Tubes Gas Deep Fryer

RATFS-75



### 4 Tubes Gas Deep Fryer

RATFS-50




## FEATURES

- Constructed in 304 stainless steel
- Available in 3 sizes
- Gas Approved Australia wide
- Heavy duty constructed frame
- Stainless steel splash back
- Nickel plated frying baskets
- Standard flame failure
- Quick recovery
- Automatic safety valve stabilizing function
- Heavy duty tube burners with stable flame & standby pilots
- Easy to use low & high temp controls
- Fitted with American Robert Shaw valves & controls
- Heavy duty Robert Shaw USA thermostat
- Thermostatic temp control from 0 ~ 240 degrees
- Manual ignition
- Front screw on drain pipe for oil
- Oil cooling zone seated at bottom of the tank to avoid food residue
- Adjustable stainless-steel legs
- ¾ inch gas inlet
- Available in NG & LPG
- 2 Years parts & labour warranty




## DEEP FRYERS

RATFS-40/RATFS-50



RATFS-75



INFORMATION	RATFS-40	RATFS-50	RATFS-75
Oil Capacity	26.4L	26.6L	34.7L
Gas Type	NG/LPG	NG/LPG	NG/LPG
Gas Output per Burner Mj/h	28	28	28
Total power Output Mj/h(For even frying)	84	112	140
Dimensions(mm)	W395 x D765 x H1128, 59.5kg	W395 x D765 x H1128, 65.5kg	W535 x D765 x H1128, 76.5kg
Packaging Dimensions(mm)	W450 x D850 x H965, 72.5kg	W450 x D850 x H965, 78kg	W590 x D850 x H965, 90.5kg
<b>RRP</b>	<b>\$1,580.00</b>	<b>\$2,190.00</b>	<b>\$2,670.00</b>



AUSTRALIA AND NEW ZEALAND  
GAS SAFETY CERTIFICATION  
SAI-400249 AS 4563:2004 SAI Global



2 YEARS WARRANTY ON ALL PARTS & LABOUR  
EXTRA 2 YEARS WARRANTY ON PARTS  
WHEN YOU REGISTER WITH US ONLINE

\* All prices are EX-GST



RATO-4B-F  
RATO-6B-F  
RATO-8B-F

## BURNERS WITH OVEN



### 4 Burner with Oven

RATO-4B-F



### 6 Burner with Oven

RATO-6B-F



### 8 Burner with Oven

RATO-8B-F


## FEATURES

- Constructed in 304 stainless steel front back & sides
- Stainless kick plate including back guard & high shelf
- Heavy duty constructed frame
- Tall stainless-steel splash back
- Standard flame failure
- Heavy duty burners with a stable flame & standby pilots
- Stainless steel tubing for burners & pilots
- Easy to use low & high temp controls
- Heavy duty cast iron trivets
- Oven pilot with 100% safety shut off
- Heavy duty Robert Shaw USA thermostat
- American Robert Shaw components
- Manual ignition
- Piezo ignitors on oven only
- Adjustable stainless-steel legs
- 3/4 inch gas inlet
- Multiple position oven rack guides
- Comes with one chrome rack per oven
- Static oven
- Stainless steel legs
- Available in NG & LPG
- Each burner power is 21MJ



RATO-4B-F  
RATO-6B-F  
RATO-8B-F

## BURNERS WITH OVEN



INFORMATION	RATO-4B-F	RATO-6B-F	RATO-8B-F
Gas Type	NG/LPG	NG/LPG	NG/LPG
Oven Power(MJ)	26	30	26
Total Power(MJ)	110	156	220
Dimensions(mm)	W610 x D790 x H1165, 132kg	W914 x D790 x H1165, 175kg	W1219 x D790 x H1165, 250kg
Packaging Dimensions(mm)	W675 x D990 x H1050, 185kg	W980 x D990 x H1050, 245kg	W1285 x D990 x H1050, 330kg
<b>RRP</b>	<b>\$3,490.00</b>	<b>\$3,950.00</b>	<b>\$6,590.00</b>



**2 YEARS WARRANTY ON ALL PARTS & LABOUR**  
**EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE**

\* All prices are EX-GST

RAT51588/8700  
8710/RAT90512

## CATERING EQUIPMENT



**Cook Rite**  
TO COOK NICELY!

### Soup Kettle

**RAT51588**

Dimension (DxH mm)

360 x 355

Capacity (Litre): 10

**RRP \$139.00**

**Cook Rite**  
TO COOK NICELY!

### Bain Marie with Mechanical Controller

**8700**

Dimension (WxDxH mm)

580 x 340 x 245

For 150mm GN1/1 food pan

**RRP \$180.00**



**Cook Rite**  
TO COOK NICELY!

### Bain Marie with Mechanical Controller and Drain

**8710**

Dimension (WxDxH mm)

580 x 340 x 245

For 150mm GN1/1 food pan

**RRP \$259.00**



**MIX RITE**  
MAKE THE STEEL RITE!

### Juice Dispenser with Stainless Steel Legs

**RAT90512**

Dimension (WxDxH mm)

350 x 260 x 580

Capacity (Litre): 8

**RRP \$179.00**



\* All prices are EX-GST

RAT80012/RAT90133  
RAT61363/RAT51363  
RAT761L63-1

## CATERING EQUIPMENT



### 12L Deluxe Coffee Urn With Chrome Legs

**RAT80012**

Dimension (WxDxH mm)

350 x 310 x 500

Capacity (Litre): 12

**RRP \$390.00**

### Stainless Steel Cereal Dispenser

**RAT90133**

Dimension (WxDxH mm)

360 x 230 x 660

Capacity (Litre): 9

**RRP \$250.00**



### Delux Oblong Chafing Dish

**RAT61363**

Dimension (WxDxH mm)

645 x 475 x 435

Capacity (Litre): 8.5

**RRP \$299.00**

### Delux Round Chafing Dish

**RAT51363**

Dimension (WxDxH mm)

500 x 530 x 450

Capacity (Litre): 5

**RRP \$245.00**



### Economic Oblong Chafing Dish

**RAT761L63-1**


Dimension (WxDxH mm)

600 x 360 x 300

Capacity (Litre): 9

**RRP \$95.00**

## CATERING EQUIPMENT



### GN Pans (201 Stainless Steel)

Model	Item	Size(mm)	Qty/Box	RRP	Model	Item	Size(mm)	Qty/Box	RRP
21020	2/1x20mm pan	650×530×20	6	\$34.9	23020	2/3x20mm pan	353×325×20	12	\$10.9
21040	2/1x40mm pan	650×530×40	6	\$37.9	23040	2/3x40mm pan	353×325×40	12	\$11.9
21065	2/1x65mm pan	650×530×65	6	\$41.9	23065	2/3x65mm pan	353×325×65	12	\$12.9
21100	2/1x100mm pan	650×530×100	6	\$52.9	23100	2/3x100mm pan	353×325×100	12	\$16.9
21150	2/1x150mm pan	650×530×150	6	\$63.9	23150	2/3x150mm pan	353×325×150	12	\$24.9
21200	2/1x200mm pan	650×530×200	6	\$74.9	23200	2/3x200mm pan	353×325×200	12	\$35.9
11020	1/1x20mm pan	530×325×20	6	\$12.9	12020	1/2x20mm pan	325×265×20	12	\$7.9
11040	1/1x40mm pan	530×325×40	6	\$15.9	12040	1/2x40mm pan	325×265×40	12	\$8.9
11065	1/1x65mm pan	530×325×65	6	\$15.9	12065	1/2x65mm pan	325×265×65	12	\$9.9
11100	1/1x100mm pan	530×325×100	6	\$20.9	12100	1/2x100mm pan	325×265×100	12	\$12.9
11150	1/1x150mm pan	530×325×150	6	\$32.9	12150	1/2x150mm pan	325×265×150	12	\$19.9
11200	1/1x200mm pan	530×325×200	6	\$39.9	12200	1/2x200mm pan	325×265×200	12	\$24.9

Model	Item	Size(mm)	Qty/Box	RRP	Model	Item	Size(mm)	Qty/Box	RRP
13020	1/3x20mm pan	325×176×20	18	\$5.9	16065	1/6x65mm pan	176×162×65	36	\$5.9
13040	1/3x40mm pan	325×176×40	18	\$7.9	16100	1/6x100mm pan	176×162×100	36	\$7.9
13065	1/3x65mm pan	325×176×65	18	\$8.9	16150	1/6x150mm pan	176×162×150	36	\$10.9
13100	1/3x100mm pan	325×176×100	18	\$10.9	16200	1/6x200mm pan	176×162×200	36	\$13.9
13150	1/3x150mm pan	325×176×150	18	\$16.9	19065	1/9x65mm pan	176×108×65	48	\$3.9
13200	1/3x200mm pan	325×176×200	18	\$19.9	19100	1/9x100mm pan	176×108×100	48	\$6.9
14020	1/4x20mm pan	265×162×20	24	\$4.9	19150	1/9x150mm pan	176×108×150	48	\$11.9
14040	1/4x40mm pan	265×162×40	24	\$6.9	24040	2/4x40mm pan	530×162×40	12	\$15.9
14065	1/4x65mm pan	265×162×65	24	\$6.9	24065	2/4x65mm pan	530×162×65	12	\$15.9
14100	1/4x100mm pan	265×162×100	24	\$8.9	24100	2/4x100mm pan	530×162×100	12	\$20.9
14150	1/4x150mm pan	265×162×150	24	\$13.9	24150	2/4x150mm pan	530×162×150	12	\$29.9
14200	1/4x200mm pan	265×162×200	24	\$15.9					

\* All prices are EX-GST



## CATERING EQUIPMENT



**Perforated GN Pan**

Model	Item	Size(mm)	Qty/Box	RRP
P21020	2/1x20mm perforated pan	650×530×20	6	<b>\$39.9</b>
P21040	2/1x40mm perforated pan	650×530×40	6	<b>\$42.9</b>
P21065	2/1x65mm perforated pan	650×530×65	6	<b>\$46.9</b>
P21100	2/1x100mm perforated pan	650×530×100	6	<b>\$57.9</b>
P21150	2/1x150mm perforated pan	650×530×150	6	<b>\$68.9</b>
P21200	2/1x200mm perforated pan	650×530×200	6	<b>\$79.9</b>
P11020	1/1x20mm perforated pan	530×325×20	6	<b>\$15.9</b>
P11040	1/1x40mm perforated pan	530×325×40	6	<b>\$18.9</b>
P11065	1/1x65mm perforated pan	530×325×65	6	<b>\$18.9</b>
P11100	1/1x100mm perforated pan	530×325×100	6	<b>\$23.9</b>
P11150	1/1x150mm perforated pan	530×325×150	6	<b>\$35.9</b>
P11200	1/1x200mm perforated pan	530×325×200	6	<b>\$42.9</b>
P23020	2/3x20mm perforated pan	353×325×20	12	<b>\$12.9</b>
P23040	2/3x40mm perforated pan	353×325×40	12	<b>\$13.9</b>
P23065	2/3x65mm perforated pan	353×325×65	12	<b>\$14.9</b>
P23100	2/3x100mm perforated pan	353×325×100	12	<b>\$18.9</b>
P23150	2/3x150mm perforated pan	353×325×150	12	<b>\$26.9</b>
P23200	2/3x200mm perforated pan	353×325×200	12	<b>\$37.9</b>
P12020	1/2x20mm perforated pan	325×265×20	12	<b>\$9.9</b>
P12040	1/2x40mm perforated pan	325×265×40	12	<b>\$10.9</b>
P12065	1/2x65mm perforated pan	325×265×65	12	<b>\$11.9</b>
P12100	1/2x100mm perforated pan	325×265×100	12	<b>\$14.9</b>
P12150	1/2x150mm perforated pan	325×265×150	12	<b>\$21.9</b>
P12200	1/2x200mm perforated pan	325×265×200	12	<b>\$26.9</b>
P13020	1/3x20mm perforated pan	325×176×20	18	<b>\$7.9</b>
P13040	1/3x40mm perforated pan	325×176×40	18	<b>\$9.9</b>
P13065	1/3x65mm perforated pan	325×176×65	18	<b>\$10.9</b>
P13100	1/3x100mm perforated pan	325×176×100	18	<b>\$12.9</b>
P13150	1/3x150mm perforated pan	325×176×150	18	<b>\$18.9</b>
P13200	1/3x200mm perforated pan	325×176×200	18	<b>\$21.9</b>



## CATERING EQUIPMENT



### Stainless Steel Lids

Model	Item	Size(mm)	Qty/Box	RRP
21000	2/1 Standard Lids	650×530	6	<b>\$38.9</b>
11000	1/1 Standard Lids	530×325	6	<b>\$14.9</b>
12000	1/2 Standard Lids	325×265	12	<b>\$8.9</b>
23000	2/3 Standard Lids	353×325	12	<b>\$10.9</b>
13000	1/3 Standard Lids	325×176	18	<b>\$5.9</b>
14000	1/4 Standard Lids	265×162	24	<b>\$5.9</b>
16000	1/6 Standard Lids	176×162	36	<b>\$3.9</b>
19000	1/9 Standard Lids	176×108	48	<b>\$2.9</b>
24000	2/4 Standard Lids	530×162	12	<b>\$10.9</b>



### Stainless Steel Lids with Cut for Spoon

Model	Item	Size(mm)	Qty/Box	RRP
P21000	2/1 Lids with cut for spoon	650×530	6	\$39.9
P11000	1/1 Lids with cut for spoon	530×325	6	\$14.9
P12000	1/2 Lids with cut for spoon	325×265	12	\$8.9
P23000	2/3 Lids with cut for spoon	353×325	12	\$11.9
P13000	1/3 Lids with cut for spoon	325×176	18	\$5.9
P14000	1/4 Lids with cut for spoon	265×162	24	\$5.9
P16000	1/6 Lids with cut for spoon	176×162	36	\$3.9
P19000	1/9 Lids with cut for spoon	176×108	48	\$3.9
P24000	2/4 Lids with cut for spoon	530×162	12	\$10.9

\* All prices are EX-GST

## CATERING EQUIPMENT



### Silicone Cover

Model	Item	Size(mm)	Qty/Box	RRP
SC11000A	Cover for GN 1/1 w / silicon rim	530×325	6	<b>\$51.9</b>
SC23000A	Cover for GN 2/3 w / silicon rim	353×325	12	<b>\$36.9</b>
SC12000A	Cover for GN 1/2 w / silicon rim	325×265	12	<b>\$26.9</b>
SC13000A	Cover for GN 1/3 w / silicon rim	325×176	18	<b>\$20.9</b>
SC14000A	Cover for GN 1/4 w / silicon rim	265×162	24	<b>\$16.9</b>
SC16000A	Cover for GN 1/6 w / silicon rim	176×162	36	<b>\$13.9</b>



### Stainless Steel Tray GN for Oven


Model	Item	Size(mm)	RRP
R11010	1/1x10mm tray	530×325×10	<b>\$29.9</b>
R12010	1/2x10mm tray	325×265×10	<b>\$22.9</b>
R23010	2/3x10mm tray	353×325×10	<b>\$25.9</b>

Material: 0.8mm 304 stainless steel

### Stainless Steel Drain Shelf

Model	Description	Size(mm)	Qty/Box	RRP
1101	GN 1/1 Drain Shelf	454×252×16	24	<b>\$16.9</b>
1123	GN 2/3 Drain Shelf	276×250×16	24	<b>\$15.9</b>
1124	GN 2/4 Drain Shelf	473×103×16	48	<b>\$14.9</b>
1102	GN 1/2 Drain Shelf	250×190×16	48	<b>\$11.9</b>
1103	GN 1/3 Drain Shelf	263×113×16	72	<b>\$9.9</b>
1104	GN 1/4 Drain Shelf	163×100×16	96	<b>\$8.9</b>
1106	GN 1/6 Drain Shelf	114×100×16	96	<b>\$6.9</b>





### RGN1/1 Wire Grates

**1001**

Size (mm): 436×252×21

**RRP \$19.9**

### RGN1/2 Wire Grates

**1002**

Size (mm): 250×190×21

**RRP \$13.9**



### RGN1/1 Adaptor Bars

**1021**

Size (mm): 532×25×6

**RRP \$5.9**

### RGN1/2 Adaptor Bars

**1022**

Size (mm): 329×25×6

**RRP \$6.9**



## HEAVY DUTY PLANETARY MIXER



**Heavy Duty  
Planetary Mixer 10L**

**RPPMA-10**



**Heavy Duty  
Planetary Mixer 20L**

**RPPMA-20**



**Heavy Duty  
Planetary Mixer 30L**

**RPPMA-30**

### FEATURES

- *Safety cut-switch temporarily interrupts power if gears are changed without stopping the mixer*
- *Comes standard with: stainless steel dough hook, wire whisk, flat beater, stainless steel mixing bowl, and safety guard*
- *Three speed gear driven*
- *Interlocked bowl lift and bowl guard opening*
- *6 ft. (1.8 m) cord with plug*





#### **Standard Accessories**

- *Stainless steel bowl*
- *Stainless steel flat beater*
- *Stainless steel wire whip*
- *Stainless steel spiral dough hook*
- *Non-slip rubber feet*





## HEAVY DUTY PLANETARY MIXER



RPPMA-10



RPPMA-20



RPPMA-30



INFORMATION	RPPMA-10	RPPMA-20	RPPMA-30
Motor(HP/W)	1/750	1.5/1100	2/1500
Electric	220V~240V,50Hz	220V~240V,50Hz	220V~240V,50Hz
Capacity Liter	10L	20L	30L
Overall Dimension(cm) A/B/C/D	50/48/71/25	63/59/89/38	71/67/127/41
Agitator Speed (I/II/III)RPMs	108/195/355	106/180/367	91/166/282
NW/GW (kg)	36/41	114/120	180/190
<b>RRP</b>	<b>\$1589</b>	<b>\$2089</b>	<b>\$3589</b>



**2 YEARS WARRANTY ON ALL PARTS & LABOUR**  
**\* EXTRA 2 YEARS WARRANTY ON PARTS WHEN YOU REGISTER WITH US ONLINE**

\* All prices are EX-GST



*RELIABLE*

CATERING EQUIPMENT

**(02) 9769 1350**

Email: [sales@reliableshopfitting.com.au](mailto:sales@reliableshopfitting.com.au)

U 1, 79 Mandoon Road, Girraween, NSW 2145

